

IN THE CLAIMS:

Please amend the claims as follows:

Claims 1-17. (Cancelled)

18. (Currently amended) ~~The~~ An image display ~~according to claim 17~~
comprising:

a substrate including a light function layer for displaying an image by emitting or blocking light in accordance with a supplied voltage; and

a base on which the substrate is placed, wherein

a concave portion is provided on a lower surface of the substrate, a convex portion is provided on an upper surface of the base, and the convex portion is fitted to the concave portion, and

wherein the concave portion extends from the base toward the substrate and the convex portion is column-shaped such that it extends from the base toward the substrate,

the concave portion has a small cross-sectional area portion and a large cross-sectional area portion along a plane orthogonal to a direction from the base toward the substrate on the base side and on the substrate side, respectively,

the convex portion has a small cross-sectional area portion and a large cross-sectional area portion along a plane orthogonal to the direction from the base toward

the substrate on the base side and on the substrate side, respectively, and

the large cross-sectional area portion of the convex portion is fitted to the large cross-sectional area portion of the concave portion and the large cross-sectional area portion of the convex portion is engaged with the small cross-sectional area portion of the concave portion.

19. (Cancelled)

20. (Currently amended) ~~The~~ An image display according to claim 19 comprising:
a substrate including a light function layer for displaying an image by emitting or
blocking light in accordance with a supplied voltage; and
a base on which the substrate is placed, wherein
a convex portion is provided on a lower surface of the substrate, a concave
portion is provided on an upper surface of the base, and the convex portion is fitted to
the concave portion, and

wherein the concave portion extends from the substrate toward the base and the convex portion is column-shaped such that it extends from the substrate toward the base,

the concave portion has a small cross-sectional area portion and a large cross-sectional area portion along a plane orthogonal to a direction from the substrate toward

the base on the substrate side and the on the base side, respectively,

the convex portion has a small cross-sectional area portion and a large cross-sectional area portion along a plane orthogonal to a direction from the substrate toward the base, on the substrate side and on the base side, respectively, and

the large cross-sectional area portion of the convex portion is fitted to the large cross-sectional area concave portion and the large cross-sectional area portion of the convex portion is engaged with the small cross-sectional area portion of the concave portion.

21. (Cancelled)

22. (Currently amended) The image display according to any of Claims 18 and 20 ~~17, 19, and 21~~, wherein the light function layer is a liquid crystal layer and the base is a light guiding plate for guiding light from a light source toward the liquid crystal layer.

23. (Currently amended) The image display according to any of Claims ~~1, 8, 17, 19, and 21~~ 18 and 20, wherein the substrate is made of resin.

24. (Currently amended) The image display according to any of Claims ~~1, 8, 17, 19, and 21~~ 18 and 20, wherein a plurality of convex portion and a plurality of concave

portions are provided.

25. (Currently amended) The image display according to any of Claims ~~1, 8, 17,~~
~~19, and 21~~ 18 and 20, wherein the light function layer is made of an inorganic
fluorescent material, an organic fluorescent material, or liquid crystal.

Claims 26-30. (Cancelled)